



LED Bollard Light – Walkway Series - Standard

Product Features

- 15w
- 4000K
- Dome or Flat top options
- Aluminium post with PC Lens
- Dome: Ø120mm x 1020mm
- Flat: Ø120mm x 990mm
- IP65, IK08 Housing
- Weight: 4.5kg



Dome

Flat

Specification Overview



Model	Watt	Type	Colour Temp	Lumens	Beam Angle	Trim Colour	Dimensions
BOL-W120D	15w	Dome	4000K	991lm	360°	Black	Ø120mm x 1020mm
BOL-W120F	15w	Flat	4000K	991lm	360°	Black	Ø120mm x 990mm



LED Bollard Light – Walkway MAX Series - Standard

Product Features

- 20w
- 4000K
- Dome, Flat or Pillar top options
- Aluminium post with PC Lens
- Dome: Ø160mm x 1015mm
- Flat: Ø160mm x 980mm
- Pillar: Ø160mm x 995mm
- IP65, IK08 Housing
- Weight: 8.25kg



Dome Flat Pillar

Specification Overview



Model	Watt	Type	Colour Temp	Lumens	Beam Angle	Trim Colour	Dimensions
BOL-W160D	20w	Dome	4000K	1107lm	360°	Black	Ø160mm x 1015mm
BOL-W160F	20w	Flat	4000K	1107lm	360°	Black	Ø160mm x 980mm
BOL-W160P	20w	Pillar	4000K	1107lm	360°	Black	Ø160mm x 995mm



LED Bollard Light – Louver MAX Series - Standard

Product Features

- 20w
- 4000K
- Dome, Flat or Pillar top options
- Aluminium post with PC Lens
- Dome: Ø160mm x 1015mm
- Flat: Ø160mm x 995mm
- Pillar: Ø160mm x 1000mm
- IP65, IK08 Housing
- Weight: 8.25kg



Specification Overview



Model	Watt	Type	Colour Temp	Lumens	Beam Angle	Trim Colour	Dimensions
BOL-L160D	20w	Dome	4000K	1107lm	360°	Black	Ø160mm x 1015mm
BOL-L160F	20w	Flat	4000K	1107lm	360°	Black	Ø160mm x 980mm
BOL-L160P	20w	Pillar	4000K	1107lm	360°	Black	Ø160mm x 995mm



LED Bollard Light – Square Series - Premium

Product Features

- 24w
- 4000K
- Optional Dali Dimmable model available (special order)
- Aluminium post with PC Lens
- 180 x 180 x 1000mm
- IP65, IK08 Housing
- Weight: 5.75kg



Options:



Dali Dimmable Model

Specification Overview



Model	Watt	Type	Colour Temp	Lumens	Beam Angle	Trim Colour	Dimensions
BOL-W180SQ	24w	Square	4000K	1162lm	360°	Black	Ø180mm x 1000mm
BOL-W180SQ-D	Dali Dimmable Version (special order)						

Product Specification



LED Bollard Series

Specification	Walkway		Walkway MAX			Louver MAX			Square
Model	BOL-W120		BOL-W160			BOL-L160			BOL-W180SQ
Head Type	Dome	Flat	Dome	Flat	Pillar	Dome	Flat	Pillar	Flat
Colour Temperature (1CCT)	4000K								
Lumen (lm)	991lm		1107lm			1107lm			1162lm
Efficiency (lm/w)	>66lm/w		>55lm/w			>55lm/w			>48lm/w
Light Source	LED								
CRI (%)	≥80								
Beam Angle	360°								
Power Requirement	220~240VAC								
Power Consumption	15w		20w			20w			24w
Dimmable	No		No			No			Dali Optional
Housing	Aluminium with polycarbonate lens								
Lifespan	>50,000 hours								
Operation Temperature	-20°C~+60°C								
Product Dimension (Diameter)	Ø120mm		Ø160mm			Ø160mm			180 x 180mm
Product Dimension (Height)	1020mm	990mm	1015mm	980mm	995mm	1015mm	980mm	995mm	1000mm
Impact Rating	IK08								
Weight	4.5kg		8.25kg			8.25kg			5.75kg
Protection Rating	IP65								
Warranty	3 Years		3 Years			3 Years			5 Years

Specifications are subject to change without notice