



# 30w LumiOrb Sphere LED Lantern


## Product Features

- 3w to 30w (adjustable)
- Amber~5000K (adjustable)
- Supplied with remote control for programming
- Turtle safe and bug free (amber setting)
- Aluminium die cast housing
- Polycarbonate Diffuser
- Fits Ø42mm spigot, optional spigot adaptors available
- Ø325 x 386mm
- Rating: IP65
- Weight: 2.8kg

Options:



Spigot Adaptor  
Ø60mm or Ø76mm





Pillar Bracket





Model	Watt	Size	CCT	Lumens	Beam Angle	Trim Colour	Weight
PSL-LO30	30w	Ø325 x 386mm	Amber~5000K	2400~2670lm	360°	Silver	2.8kg
PSL-LO-A60S	Spigot Adaptor – fits Ø60 vertical spigot – Silver						
PSL-LO-A76S	Spigot Adaptor – fits Ø76 vertical spigot – Silver						
PSL-LO-PBS	Pillar Bracket with 42mm vertical spigot – Silver						

30w LumiOrb Sphere LED Lantern



- Options:
- 

Ø60mm Spigot Adaptor  
Model: PSL-LO-A60S
- 

Ø76mm Spigot Adaptor  
Model: PSL-LO-A76S
- 

Pillar Bracket  
Model: PSL-LO-PBS

Specification	
Model	PSL-LO30
Colour Temperature (adjustable)	Amber (590nm) ~ 5000K
Lumen (lm)	2400~2670lm (30w setting)
Efficiency (lm/w)	>80 lm/w
Light Source	LED
CRI (%)	≥80
Beam Angle	360°
Power Requirement	220~240VAC
Power Consumption (adjustable)	5w ~ 30w
Dimmable	Yes, with remote
Housing	Die cast Aluminium with PC Lens
Lifespan	>50,000 hours
Operation Temperature	-20°C~+45°C
Product Dimension	Ø325 x 386mm
Spigot Size	Ø42mm
Cable Length	1.5m
Impact Rating	IK08
Weight	2.8kg
Protection Rating	IP65
Warranty	3 Years

Specifications are subject to change without notice








## 30w LumiOrb Sphere LED Lantern

### Remote Control Function



30w LumiOrb Sphere Adaptors



Specification – Ø60mm Adaptor

Model	PSL-LO-A60S
Colour	Silver (RAL9006)
Fits Vertical Spigot	60~70mm OD
Reduces to	40mm OD
Housing	Powdercoated Steel
Product Dimensions	Ø78 x 107mm
Warranty	1 Year

Specification – Ø76mm Adaptor

Model	PSL-LO-A76S
Colour	Silver (RAL9006)
Fits Vertical Spigot	76~80mm OD
Reduces to	40mm OD
Housing	Powdercoated Steel
Product Dimensions	Ø87 x 125mm
Warranty	1 Year

Specification – Pillar Mounting Bracket

Model	PSL-LO-A76S
Colour	Silver (RAL9006)
Fits Pillar	>200mm
Reduces to	40mm OD
Housing	Powdercoated Steel
Product Dimensions	Ø200 x 80mm
Warranty	1 Year

Specifications are subject to change without notice