



PARACHUTE LED Street Lantern Series

Product Features

- Available in 35w, 50w or 100w
- Available in 4000K or 5000K
- Fits 60mm spigot size
- Aluminium die cast housing
- Polycarbonate face
- 120° Beam Angle
- 527 x 142 x 551mm
- IP65 Housing
- IK08 Impact Rating
- Weight: 11kg (35w and 50w),
11.7kg (100w)



Specification Overview





Model	Power	Power Requirement	Colour Temp	Lumens	Beam Angle	Trim Colour	Dimensions	Spigot Size
PSL-PARA-35	35w	100~277VAC	4000K or 5000K	4550lm	120°	Black	527 x 142 x 551mm	60mm
PSL-PARA-50	50w	100~277VAC	4000K or 5000K	6500lm	120°	Black	527 x 142 x 551mm	60mm
PSL-PARA-100	100w	100~277VAC	4000K or 5000K	13000lm	120°	Black	527 x 142 x 551mm	60mm

Product Specification



35w PARACHUTE LED Street Lantern





Specification		
Model	PSL-PARA-35T	PSL-PARA-35V
Colour Temperature (1CCT)	4000K	5000K
Lumen (lm)	4550lm	
Efficiency (lm/w)	>130lm/w	
Light Source	LED	
CRI (%)	≥80	
Beam Angle	120° (Type V)	
Power Requirement	100~277VAC	
Power Consumption	35w	
Dimmable	0-10V	
Housing	Diecast aluminium with PC Lens	
Housing Colour	Black	
Lifespan	>50,000 hours	
Operation Temperature	-40°C~+45°C	
Product Dimension	527 x 142 x 551mm	
Fits Spigot Size	Ø60mm pole top	
Impact Rating	IK08	
Weight	11kg	
Protection Rating	IP65	
Warranty	5 Years	

Specifications are subject to change without notice

Product Specification



50w PARACHUTE LED Street Lantern



Specification



Model	PSL-PARA-50T	PSL-PARA-50V
Colour Temperature (1CCT)	4000K	5000K
Lumen (lm)	6500lm	
Efficiency (lm/w)	>130lm/w	
Light Source	LED	
CRI (%)	≥80	
Beam Angle	120° (Type V)	
Power Requirement	100~277VAC	
Power Consumption	50w	
Dimmable	0-10V	
Housing	Diecast aluminium with PC Lens	
Housing Colour	Black	
Lifespan	>50,000 hours	
Operation Temperature	-40°C~+45°C	
Product Dimension	527 x 142 x 551mm	
Fits Spigot Size	Ø60mm pole top	
Impact Rating	IK08	
Weight	11kg	
Protection Rating	IP65	
Warranty	5 Years	

Specifications are subject to change without notice

Product Specification



100w PARACHUTE LED Street Lantern



Specification		
Model	PSL-PARA-100T	PSL-PARA-100V
Colour Temperature (1CCT)	4000K	5000K
Lumen (lm)	13,000lm	
Efficiency (lm/w)	>130lm/w	
Light Source	LED	
CRI (%)	≥80	
Beam Angle	120° (Type V)	
Power Requirement	100~277VAC	
Power Consumption	100w	
Dimmable	0-10V	
Housing	Diecast aluminium with PC Lens	
Housing Colour	Black	
Lifespan	>50,000 hours	
Operation Temperature	-40°C~+45°C	
Product Dimension	527 x 142 x 551mm	
Fits Spigot Size	Ø60mm pole top	
Impact Rating	IK08	
Weight	11.7kg	
Protection Rating	IP65	
Warranty	5 Years	

Specifications are subject to change without notice