Product Specification

S-tech LED Lighting

Track Light

20w/25w/30w/35w Ø80mm




Product Features

- Wattage Adjustable (20w/25w/30w/35w)
- 3 Colour Adjustable (3000K/4000K/5000K)
- CRI90
- Available in Black or White trim
- Adjustable Beam Angle 24°/60°
- 160 x 240 x 80mm
- Suits 4 Wire, 3 Circuit Track
- IP20 protection
- UGR<22 (24°)
- Weight: 520g

3 YEAR WARRANTY

Specification Overview



Model	Power	Size	Colour Temp	Lumens	Beam Angle	Trim Colour	Power Requirement
TL-3580-3C-B	20/25/30/35w	160 x 240 x 80mm	3000K/4000K/5000K	1650~3500lm	24~60°	Black	220~240VAC
TL-3580-3C-W	20/25/30/35w	160 x 240 x 80mm	3000K/4000K/5000K	1650~3500lm	24~60°	White	220~240VAC

Product Specification

S-tech LED Lighting

Switch to Excellence

Track Light


20w/25w/30w/35w Ø80mm

Model	Power	Beam Angle	Lumens	CCT	Dimension	Weight
TL-3580-3C-B	20w 25w 30w 35w	24°	1650~1740lm 2155~2375lm 2379~2650lm 2835~3135lm	3000K/4000K/5000K	160 x 240 x 80mm	520g
TL-3580-3C-B	20w 25w 30w 35w	60°	1710~1830lm 2335~2550lm 2540~2850lm 2875~3290lm	3000K/4000K/5000K	160 x 240 x 80mm	520g

Model	Power	Beam Angle	Lumens	CCT	Dimension	Weight
TL-3580-3C-W	20w 25w 30w 35w	24°	1755~1850lm 2290~2525lm 2530~2815lm 3015~3335lm	3000K/4000K/5000K	160 x 240 x 80mm	520g
TL-3580-3C-W	20w 25w 30w 35w	60°	1820~1945lm 2480~2710lm 2705~3030lm 3055~3500lm	3000K/4000K/5000K	160 x 240 x 80mm	520g

Specification			
CCT	3000K/4000K/5000K	Housing	Aluminium
Efficacy	>82lm/w	Lens	Polycarbonate
CRI (%)	≥90	Housing Colour	White or Black options
Beam Angle	24°~60°	Lifespan	>50,000 hours
Power Input	220~240VAC	Operation Temperature	-20 °C to +35°C
Dimmable	Yes, (with LED, Universal or Trailing Edge Dimmers)	Glare Rating	UGR<22 (angle 24°)
Impact Rating	IK03		
Protection Rating	IP20	Warranty	3 Years

Dimensions




Specifications are subject to change without notice

Track Light
Accessories




3-Circuit Track

Model	Trim Colour	Length
TL-A0410-B	Black	1m
TL-A0410-W	White	1m
TL-A0420-B	Black	2m
TL-A0420-W	White	2m



Live-end Connector

Model	Trim Colour	Type
TL-A0431L-B	Black	Left
TL-A0431L-W	White	Left
TL-A0431R-B	Black	Right
TL-A0431R-W	White	Right



End cap connects to the track section end

Model	Trim Colour
TL-A0432-B	Black
TL-A0432-W	White



Mini Joiner

Model	Trim Colour
TL-A0433-B	Black
TL-A0433-W	White



Straight Connector


Model	Trim Colour
TL-A0434-B	Black
TL-A0434-W	White



Twisted L Connector


Model	Trim Colour
TL-A0435-B	Black
TL-A0435-W	White

Track Light
Accessories




Reversing L Connector

Model	Trim Colour
TL-A0438-B	Black
TL-A0438-W	White




Reversing T Connector

Model	Trim Colour	Type
TL-A0436L-B	Black	Left
TL-A0436L-W	White	Left
TL-A0436R-B	Black	Right
TL-A0436R-W	White	Right




X Connector

Model	Trim Colour
TL-A0437-B	Black
TL-A0437-W	White



EZclik Suspension Kit

Model	Trim Colour	Length
TL-A0448-B	Black	1.5m wire
TL-A0448-W	White	1.5m wire
TL-A0447-B	Black	1m rod
TL-A0447-W	White	1m rod



EZclik Mounting Kit

Model	Trim Colour
TL-A0146-B	Black
TL-A0146-W	White